

## BEST AVAILABLE COPY


ST REF: 00-AU-119

5






ST REF: 00-AU-119 2/26



ST REF: 00-AU-119
3/26



24,

ST REF: 00-AU-119 4/26






FIG. 5.

ST REF: 00-AU-119 5/26



ST REF: 00-AU-119 6/26



ST REF: 00-AU-119

7/26


CATIONS	SS	VBUS			+0	GND			0-
<b>NEW APPLICATIONS</b>	JISN	VBUS	RST	Ě	+Q	GND		2	D-
CONVENTIONAL APPLICATIONS	A2	λτς	RST	¥		GND		2	
	Al	λα	RST	CLK		GND	APP.	<u>%</u>	
	71	λας	USED	USED	USED	GND	AP PP	USED	
	11	λζζ	USED	USED	OSED	QND	VPP	OSSO	OSED
,		IJ	ß	ເລ	C	ខ	ප	0	8)

STDATMOD O21


16. <del>d</del>

T. 4

ST REF: 00-AU-119 8/26



ST REF: 00-AU-119 9/26 ÷ 🤃 .




120 -ISO DRIVER 15T INTERFACE COMPUTER TO ISO 2ND INTERFACE 123 124-


ST REF: 00-AU-119

10/26


ST REF: 00-AU-119




ST REF: 00-AU-119 12/26



ST REF: 00-AU-119 14/26




ST REF: 00-AU-119 15/26




ST REF: 00-AU-119

16/26



- • .



ST REF: 00-AU-119

18/26






FIG. 19.

ST REF: 00-AU-119




ST REF: 00-AU-119 21/26

2.2.



ST REF: 00-AU-119
22/26







FIG. 24.

ST REF: 00-AU-119 24/26



447.

ST REF: 00-AU-119 25/26





FIG. 26.

FIG. 28.



76. 27.